

**Druckkupplungen mit Inneneinband**  
**Delivery Hose Couplings with Internal Binding**



für formstabile Gummischläuche S 25 – S 32 mm I.W.  
 for sturdy rubber hoses of nominal sizes 25 to 32 mm



Aluminium light alloy	Messing copper alloy	Edelstahl stainless steel
--------------------------	-------------------------	------------------------------

Storz Size	KA (mm) Lug	Schlauch-Innen-Ø hose inside Ø	Weight (kg)	Bemerkung Remark	Ident-No.	Euro
<b>52-C</b>	66	S 25 x 6	0,59		11-566025-15	
		S 25 x 6	0,60	mit Verriegelung with locking device	11-566025-19	
		S 28 x 8	0,56	DIN 14 330	11-566028-15	
		S 28 x 8	0,57	mit Verriegelung with locking device	11-566028-19	
		S 32 x 8	0,54	DIN 14 330	11-566032-15	
		S 32 x 8	0,55	mit Verriegelung with locking device	11-566032-19	



## Druckkupplungen, gekrümmt Delivery Hose Couplings, tail bent



Dichtung: Nitril-Kautschuk schwarz / weiß

Seal: Nitrile rubber black / white



Aluminium light alloy	Messing copper alloy	Edelstahl stainless steel
--------------------------	-------------------------	------------------------------

Storz Size	KA (mm) Lug	D (mm) Diameter	L (mm) Length	Weight (kg)	Bemerkung Remark	Ident-No.	Euro
52-C	66	19	90	0,37	50° gekrümmt	11-066019-19	
		25	95	0,41	50° gekrümmt	11-066025-19	
		25	95	1,04	50° gekrümmt	11-066025-39	

## Druckkupplungen mit Inneneinband Delivery Hose Couplings with Internal Binding



für formstabile Gummischläuche S 25 – S 32 mm I.W.

for sturdy rubber hoses of nominal sizes 25 to 32 mm



Aluminium light alloy	Messing copper alloy	Edelstahl stainless steel
--------------------------	-------------------------	------------------------------

Storz Size	KA (mm) Lug	Schlauch-Innen-Ø hose inside Ø	Weight (kg)	Bemerkung Remark	Ident-No.	Euro
52-C	66	S 25 x 6	0,59		11-566025-15	
		S 25 x 6	0,60	mit Verriegelung with locking device	11-566025-19	
		S 28 x 8	0,56	DIN 14 330	11-566028-15	
		S 28 x 8	0,57	mit Verriegelung with locking device	11-566028-19	
		S 32 x 8	0,54	DIN 14 330	11-566032-15	
		S 32 x 8	0,55	mit Verriegelung with locking device	11-566032-19	